

Amendments to the Specification:

Please replace paragraph [0004] with the following amended paragraph:

[0004] FIG. 1. Display ~~two pieces of~~ window glass 1, ~~inner layer 1A and outer layer 1B before glass is made as one whole glass~~ and illuminate film 3, before laminating on to window glass.

Please replace paragraph [0005] with the following amended paragraph:

[0005] FIG. 2 A. ~~Displays~~ Shows microchip ~~or inverter / program~~ chip 2, illuminate films 3, ~~back panel 4~~ EL, LED, OLED, and ~~liquid crystal 5, illuminate films 6 and laminate~~ wires connection 7.

Please add the following new paragraph after paragraph [0005]:

[0006] FIG. 2 B. ~~Display~~ Show glass ~~1A and 1B~~ 1 with illuminate film 3, displays the word open on between window glass.

Please replace paragraph [0007] with the following amended paragraph:

[0007] FIG. 3. Show microchip ~~or inverter / program chip~~ 2, illuminate films 3,4,5 and 6 with wire connection 7 and neon gas tubing 8.

Please replace paragraph [0008] with the following amended

[0009] FIG. 5. Basically same as FIG. 4, advertising new displays ~~inside between a~~ laminate on to windows glasses. ~~frame only~~
~~notice wind activated~~

Please replace paragraph [0011] with the following amended paragraph:

[0011] FIG. 7. Display new home device with illuminate letters and numbers wire connection 7 ~~inside window, attach to frame of~~
~~house~~ microchip ~~or inverter / program chip~~ 2 beside window glass

3, 4, 5 or 6 showing illuminate numbers and letters ~~sandwiched between~~ lamine on to windows glasses. ~~wind activates.~~

Please replace FIG. 1,2, 3, 5 and 6 in paragraph [0012] with the following amended paragraph:

[0012] FIG. 1. Displays ~~two pieces of glass to make one whole~~ glass for window glass (~~inside illuminate film sandwiched between~~ 1A and outside glass 1B) 1 and illuminate film 3 to be lamine on to window.

[0012] FIG. 2 A. Show microchip ~~or inverter / program chip 2, to~~ operate 3-illuminate films that can be place inside of between lamine on to window glass, ~~4 back panel inside window and EL,~~ LED, OLED ~~and, liquid crystal 5 and 6 inside window glass~~ illuminate film 6 and lamine wiring connection 7.

Please add FIG. 2 B. in paragraph [0012]:

[0012] FIG. 2 B. Is a cross section of fig. 2 showing glass ~~1A and 1B~~ 1 with illuminating film 3 ~~to be laminate as one whole~~ on to window, displaying any word on window glass.

[0012] FIG. 3. Show neon gas tubing 8 at top and microchip ~~or inverter / program chip~~ 2 displaying illuminate films 3, 4, 5 and 6 ~~inside between~~ laminate on to window glass, ~~also displaying back panel 4 inside window glass, LC EL LED and OLED 5 and 6 also display inside a window glass along with wiring connection 7 to input various advertisement messages. via wind activate.~~

[0012] FIG. 5. Basically the same as FIG. 3 there's no limitation of what a business can advertise ~~inside between~~ with illuminate film laminate on to window glass, able to change phrase for new displays by using 2,3,4,5,6 and 7.

BRIEF DESCRIPTION OF THE DRAWING

[0004] FIG.1. Displays window glass 1, and illuminate film 3, before laminating on to window glass.

[0005] FIG 2 A. Shows microchip 2, illuminate films EL, LED, OLED and wires connection 7.

[0006] FIG 2 B. Show glass 1 with illuminate film 3, displays the word open on windows glass.

[0007] FIG 3. Show microchip 2, illuminate films 3,4,5 and 6 with wire connection and neon gas tubing 8.

[0008] FIG 4. Displays neon gas tubing 8 and paper sign 9.

[0009] FIG. 5. Basically same as FIG. 4, advertising new displays laminate on to windows glasses.

[0010] FIG. 6. Same as FIG. 4 and 5 is advertising new display.

[0012] FIG. 6. Basically the same as FIG. 5 now restaurant can advertise as for as buffets special are served daily by using this new device 3, 4, 5 and 6 to illuminate ~~inside between~~ on window glass along with microchip ~~or inverter / program chip~~ 2 to program illuminate letters and numbers along with connection 7.

[0011] FIG. 7. Display new home device with illuminate letters and numbers wire connection 7, microchip 2 beside window glass 3, 4, 5 or 6 showing illuminate numbers and letters laminate on to window glasses.

DESCRIPTION OF THE PREFERRED EMBODIMENT

[0012] FIG. 1. Display glass for window glass 1, and illuminate film 3 to be laminate on to window. FIG. 2 A. Show microchip 2, illuminate films that can be laminate on to windows glass EL, LED, OLED and wiring connection 7. FIG. 2 B. Is a cross section of FIG. 2 A showing glass 1 with illuminating film 3 laminate on to window, displaying any word on window glass. FIG. 3. Show neon gas tubing 8 at top and microchip 2, illuminate films 3, 4, 5 and 6 laminate on to window glass along with wiring connection 7 to input various advertisement messages. FIG. 4. Show basically how advertising is done today by using neon gas tubing 8 and paper signs 9. FIG. 5. Basically the same as FIG. 3 there's no limitation of what a business can advertise with illuminate film laminate on to window glass, able to change phrase for new displays by using 2,3,4,5,6 and 7.

FIG. 6. Basically the same as FIG. 5 now restaurant can advertise as for as buffets special are served daily by using this new device 3, 4, 5 and 6 to illuminate on window glass alone with microchip 2 to illuminate letters and numbers with wires connection 7. FIG. 7. This device is also for homes as homes address being hard to locate or see at night time, by using this device 3, 4, 5 and 6 you can now illuminate your home address when needed.